



**CHILDREN'S PLAYGROUNDS
AND SPORTS AREAS**

interatletika™

CONTENT

1. INTERATLETIKA 4

About company	5	Product safety	6
Children's playgrounds and sports areas . . .	5		

2. PLAYGROUNDS DESIGN 8

3. CHILDREN'S PLAY EQUIPMENT 10

Options for materials, colours and design of children's equipment	11	Cars, trains	19
Slides	11	Rope complexes	20
Spring riders	12	Gymnastic complexes	24
Seesaws	13	Play complexes	25
Carousels	14	Play panels	37
Sand play equipment	15	Inclusive equipment	39
Playhouses and cabins	16	Children's benches	40
Swings	18	Children's training machines	41
		Trampolines	41

4. SPORTS EQUIPMENT 42


Military equipment	43	Training machines SM serie	57
Single obstacle course	43	Training machines SMP serie	60
Sports workout equipment	44	Training machines SE serie	63
Multifitness complexes and elements	47	Equipment for stadiums and team sports	66
Training machines KF serie	54	Multifunctional sports grounds	67

5. DOG TRAINING EQUIPMENT 68

6. PARK EQUIPMENT 72

ALL PRODUCTS 77

interatletika™



ABOUT COMPANY

1

We design, manufacture and sell high-quality sports and play equipment for children and adults.

Interatletika is a group of companies taking leading position in the Ukrainian market in the field of production and sale of goods for sports and active recreation.

Despite its clearly defined specialization, the company activity covers almost all areas of healthy and active lifestyle.

Efforts of our professionally trained staff are aimed at providing of highly functional sports and play equipment for gyms, sports areas and playgrounds.

The main advantage of Interatletika company is its own production, allowing to fulfil the most complicated orders and constantly expanding and improving its product range and quality.

Our design bureau develops new modern products, tests them and provides support. The company regularly confirms its compliance with the requirements of DSTU ISO 9001:2015 'Quality Management Systems' for the production of goods through supervisory audits.

CHILDREN'S PLAYGROUNDS AND SPORTS AREAS

OUR SPECIALIZATION:

supply and installation of children's playground and outdoor sports equipment, construction of stadiums and sports grounds of various levels of complexity, playgrounds with artificial covering, landscaping of territories

We offer our customers a comprehensive approach that allows us to carry out projects both in Ukraine and abroad, regardless of their complexity

WE HAVE EVERYTHING WE NEED TO ACHIEVE THIS GOAL:

- modern production with professional supervision of all stages
- our own vehicle fleet and logistics department provide prompt deliveries within Ukraine and abroad
- production quality certificates, safety certificates and etc.





PRODUCT SAFETY

Interatletika products have significant advantages over similar products available on the world market for children's playground and outdoor sports equipment.

We offer certified equipment that meets high quality and safety standards. Inter Atletika equipment complies with European safety standards of children's playgrounds EN 1176 and outdoor fitness equipment EN 16630. Certification was carried out by the international company TUV Rheinland.

Today's safety requirements applicable in most European countries are considered in designing of our equipment. Sports and children's equipment undergo a large number of technological operations within the production process for long-term use: shot blasting of metal elements, thorough filling and grinding of parts and joints, special wood processing, priming before painting, etc., all these factors extend the operating life and ensure a presentable appearance of equipment over long period of time.

The arrangement of safe playground is a set of measures aimed at preventing injuries to users during operation.

Unfortunately, injuries of children during playtime are not uncommon. Usually, the main reason of injuries is the noncompliant equipment to safety norms and standards, or careless approach to installation.



Certified children's play equipment is the safety of children on the playground

Standard EN 1176 contains requirements for children's equipment at each stage of the production cycle: design, manufacture, quality control, installation, regular inspection of equipment condition, etc.

During design and production, considerable attention is paid to the technical dimensions and parameters of the equipment, namely: the distance between steps; the angle of inclination of slides; the presence and height of handrails;



protective fencing at the appropriate heights of equipment; the presence and height of the slide sides. Also, that is very important, the use of rigid suspension elements is prohibited.

Reliable and high-quality, certified sports equipment is the key to safe workouts and high results in the training process

Situations that athletes sometimes experience: unstable equipment that wobbles under the user's weight; parts that quickly fail; clothing and body parts getting caught during workout, but these situations are completely excluded when using our equipment.



The samples of equipment are tested by the experts in the design and production process as well as mathematical calculations are performed to determine the maximum loads and strength characteristics of products and moving parts.

The price of our equipment is determined by the quality of the used materials, modern facilities and innovative production solutions, as well as the experience of a highly qualified team of professionals (designers, constructors, engineers, technologists, sales managers).

Be careful when choosing equipment! Check certificates of conformity as the certified equipment from the manufacturer is your safety and comfort!



PLAYGROUNDS DESIGN






DESIGNING

We offer design services for children's playgrounds, sports grounds and facilities within your budget, considering the safety zones and the peculiarities of the location.

We choose the equipment considering age restrictions of users and functional characteristics of play and sports areas.



CHILDREN'S PLAY EQUIPMENT



MATERIALS, COLORS AND DESIGN OPTIONS

Roof design



Wood colors



Plastic colors



Color options for metal elements (RAL)



SLIDES

LK320

length 3 200 mm
width 554 mm
height 2 067 mm




LK320 Vikings

length 3 200 mm
width 554 mm
height 2 045 mm




LK320 Ukraine

length 3 200 mm
width 554 mm
height 2 069 mm



LK320 Cosmos

length 3 200 mm
width 554 mm
height 2 120 mm



All slides options are available on our website


SPRING RIDERS



All products
range available
on our website


LK421

length 1 000 mm
width 1 000 mm
height 528 mm



TE246

length 1 700 mm
width 720 mm
height 638 mm



TE256

length 574 mm
width 380 mm
height 866 mm



LK420

length 1 684 mm
width 1 720 mm
height 613 mm



TE249.1

length 707 mm
width 380 mm
height 890 mm



TE266

length 646 mm
width 380 mm
height 875 mm



TE282

length 731 mm
width 380 mm
height 831 mm



SEESAWS

TE242

length 3 050 mm
width 500 mm
height 782 mm




All products
range available
on our website



TE201

length 2 171 mm
width 333 mm
height 1 228 mm



LK430

length 2 962 mm
width 1 029 mm
width 846 mm



CAROUSELS



All products
range available
on our website

TE228

length 2 060 mm
width 1 430 mm
height 2 587 mm



TE223

length 3 595 mm
width 340 mm
height 2 783 mm



LK480-LR

length 450 mm
width 450 mm
height 1 535 mm




LK487.1

length 1 490 mm
width 1 490 mm
height 723 mm



LK481

length 1 490 mm
width 1 490 mm
height 723 mm



LK481-S

length 1 490 mm
width 1 490 mm
height 723 mm



TE227

length 1 234 mm
width 1 234 mm
height 1 100 mm




LK483.1

length 1 490 mm
width 1 490 mm
height 736 mm



LK486

length 1 490 mm
width 1 490 mm
height 747 mm




SAND PLAY EQUIPMENT

3


LK315

length 2 588 mm
width 960 mm
height 1 860 mm



LK310

length 1 598 mm
width 1 470 mm
height 417 mm



TE333-06

length 1 600 mm
width 1 600 mm
height 622 mm



All products
range available
on our website


LK316

length 1 610 mm
width 700 mm
height 626 mm



LK309

length 2 232 mm
width 2 232 mm
height 340 mm




TE339

length 2 414 mm
width 2 307 mm
height 327 mm



TE338.1

length 1 567 mm
width 1 567 mm
height 327 mm



TE331

length 1 600 mm
width 1 600 mm
height 325 mm



TE344

length 3 120 mm
width 3 056 mm
height 1 795 mm



LK314.2

length 2 339 mm
width 1 615 mm
height 2 955 mm



TE346

length 1 958 mm
width 2 008 mm
height 2 348 mm



PLAYHOUSES AND CABINES



All products
range available
on our website

LK302

length 1 540 mm
width 1 572 mm
height 1 900 mm



LK303

length 1 540 mm
width 2 375 mm
height 1 900 mm



LK304

length 1 647 mm
width 1 664 mm
height 1 900 mm



LK306

length 1 485 mm
width 1 685 mm
height 2 064 mm



LK308

length 2 842 mm
width 2 151 mm
height 1 899 mm



LK331

length 4 110 mm
width 4 300 mm
height 3 471 mm

**LK330**

length 5 815 mm
width 4 115 mm
height 2 856 mm

**UT502.2**

length 5 060 mm
width 3 945 mm
height 3 197 mm

**LK331-FA**

length 4 110 mm
width 4 300 mm
height 3 471 mm



SWINGS



All products
range available
on our website

TE406

length 2 035 mm
width 985 mm
height 1 992 mm



TE415-A

length 2 976 mm
width 1 000 mm
height 2 253 mm



TE407

length 3 101 mm
width 985 mm
height 1 992 mm



TE415

length 2 976 mm
width 1 010 mm
height 2 118 mm



P800.5

length 572 mm
width 150 mm
height 1 715 mm

T416

length 7 218 mm
width 7 218 mm
height 2 138 mm



T415-2-SB-SB

length 5 952 mm
width 999 mm
height 2 253 mm



P800.4

length 573 mm
width 317 mm
height 1 630 mm

T415-2-A-S

length 5 863 mm
width 1 000 mm
height 2 253 mm



CARS, TRAINS

LK501

length 2 220 mm
width 1 054 mm
height 1 300 mm



LK507

length 3 337 mm
width 2 130 mm
height 1 863 mm



TE502

length 2 586 mm
width 1 067 mm
height 1 914 mm



LK511

length 7 074 mm
width 3 516 mm
height 2 439 mm




T512

length 3 150 mm
width 1 256 mm
height 2 012 mm



LK510

length 2 811 mm
width 2 405 mm
height 2 104 mm



T505

length 2 054 mm
width 1 388 mm
height 1 914 mm



3



All products
range available
on our website


ROPE COMPLEXES



All products
range available
on our website


SE771.4

length 6 084 mm
width 6 084 mm
height 4 001 mm




SE771.8

length 12 360 mm
width 6 850 mm
height 4 001 mm




LK801

length 7 352 mm
width 6 127 mm
height 2 783 mm




LK805

length 5 443 mm
width 3 238 mm
height 2 483 mm




LK806

length 3 153 mm
width 3 153 mm
height 2 304 mm



LK807

length 2 646 mm
width 1 589 mm
height 1 105 mm




LK810


length 3 156 mm
width 2 633 mm
height 1 935 mm

**LK811**


length 3 131 mm
width 1 070 mm
height 2 144 mm

**LK812**


length 2 630 mm
width 1 330 mm
height 1 483 mm

**LK813**


length 1 331 mm
width 130 mm
height 2 483 mm

**LK814**


length 2 342 mm
width 1 242 mm
height 570 mm

**LK815**


length 2 630 mm
width 2 028 mm
height 2 435 mm

**LK822**

length 7 542 mm
width 2 042 mm
height 2 483 mm


**LK822.1**

length 13 042 mm
width 2 042 mm
height 2 483 mm




SE771.8

length 12 360 mm
width 6 850 mm
height 4 001 mm

**SE770.3**

length 4 412 mm
width 3 824 mm
height 3 001 mm

**LK817**


length 26 747 mm
width 2 205 mm
height 2 953 mm

**LK817-P**

length 27 324 mm
width 2 956 mm
height 3 953 mm

**SE772.8-4,5**

length 8 100 mm
width 8 100 mm
height 4 498 mm

**SE774-3,0**


length 1 685 mm
width 1 685 mm
height 3 050 mm






LK823

length 8 816 mm
width 2 091 mm
height 2 555 mm




LK823.1

length 5 787 mm
width 1 898 mm
height 2 555 mm



LK824

length 19 930 mm
width 7 595 mm
height 2 520 mm




LK824.2

length 8 330 mm
width 471 mm
height 2 525 mm



LK825

length 12 140 mm
width 1 345 mm
height 3 062 mm



GYMNASTIC COMPLEXES



All products
range available
on our website

TE938

length 8 572 mm
width 8 069 mm
height 3 460 mm



S765

length 2 640 mm
width 2 295 mm
height 2 546 mm



S801

length 5 943 mm
width 4 149 mm
height 3 576 mm



PLAY COMPLEXES

3



All products range available on our website



LK107

length 4 337 mm
width 2 552 mm
height 2 899 mm



LK109

length 3 673 mm
width 3 115 mm
height 2 899 mm



LK101

length 4 955 mm
width 4 085 mm
height 2 899 mm



LK110

length 5 828 mm
width 3 848 mm
height 2 899 mm



LK111

length 4 619 mm
width 2 548 mm
height 2 349 mm



TL101

length 3 051 mm
width 2 858 mm
height 2 495 mm



TL102

length 3 373 mm
width 4 141 mm
height 2 495 mm

**TL103**


length 3 056 mm
width 4 397 mm
height 2 495 mm

**LK150.4**

length 7 752 mm
width 5 082 mm
height 2 760 mm

**TE831-PE-Base**

length 3 049 mm
width 2 891 mm
height 2 348 mm

**TE832-PE-Base**

length 3 815 mm
width 3 576 mm
height 3 134 mm



TE833-PE-Base

length 4 565 mm
width 4 556 mm
height 3 149 mm



TE834-PE-Base

length 4 453 mm
width 3 053 mm
height 2 348 mm



TE930

length 12 962 mm
width 10 677 mm
height 6 018 mm



TE931

length 12 145 mm
width 8 452 mm
height 3 463 mm

**TE932**

length 13 088 mm
width 10 103 mm
height 3 917 mm



TE933

length 11 263 mm
width 10 123 mm
height 3 920 mm



TE935

length 11 976 mm
width 10 607 mm
height 6 017 mm

**TE937**

length 5 690 mm
width 4 902 mm
height 6 017 mm

**TE936**

length 6 201 mm
width 5 744 mm
height 3 462 mm



TE961

length 5 992 mm
width 3 600 mm
height 4 744 mm



LK624-M



length 9 393 mm
width 3 674 mm
height 2 045 mm





T915

length 14 043 mm
width 7 189 mm
height 6 443 mm



T912NEW

length 11 424 mm
width 11 100 mm
height 3 357 mm



T917

length 11 925 mm
width 11 130 mm
height 5 854 mm



T920

length 14 079 mm
width 12 720 mm
height 4 834 mm

**T921**

length 14 096 mm
width 12 719 mm
height 4 491 mm



T922

length 13 067 mm
width 12 066 mm
height 5 369 mm



T918-M


length 9 938 mm
width 7 050 mm
height 6 284 mm



PLAY PANELS

LK606

length 2 089 mm
width 881 mm
height 865 mm




3



All products
range available
on our website


LK610

length 913 mm
width 87 mm
height 1 064 mm



LK608

length 913 mm
width 87 mm
height 1 064 mm



LK615

length 913 mm
width 87 mm
height 865 mm




LK607

length 1 465 mm
width 87 mm
height 1 064 mm



LK609


length 913 mm
width 87 mm
height 1 064 mm





T604

length 1 499 mm
width 906 mm
height 945 mm




T605.2

length 1 880 mm
width 1 880 mm
height 682 mm



T484.1

length 2 151 mm
width 2 155 mm
height 900 mm



INCLUSIVE EQUIPMENT



3



TE835-PE-Base

length 9 556 mm
width 7 778 mm
height 2 350 mm



T601

length 13 685 mm
width 4 866 mm
height 1 647 mm

CHILDREN'S BENCHES



All products
range available
on our website

S721.1

length 1 620 mm
width 770 mm
height 1 140 mm




S722.1

length 1 620 mm
width 770 mm
height 820 mm




S741 COLOR

length 1 200 mm
width 400 mm
height 350 mm




S745

length 1 230 mm
width 635 mm
height 686 mm



S746

length 1 230 mm
width 849 mm
height 563 mm



S747

length 1 230 mm
width 556 mm
height 534 mm



FENCES



All products
range available
on our website

S764.5

length 860 mm
width 78 mm
height 560 mm



S764.4

length 860 mm
width 78 mm
height 560 mm



S764.6

length 860 mm
width 78 mm
height 1 043 mm



S764.9

length 860 mm
width 55 mm
height 500 mm



S764.12

length 860 mm
width 35 mm
height 619 mm



S764.11

length 860 mm
width 127 mm
height 616 mm



S764.15

length 850 mm
width 120 mm
height 760 mm



S764.3

length 341 mm
width 15 mm
height 1 199 mm




S764.1

length 100 mm
width 100 mm
height 1 446 mm



S764.2

length 100 mm
width 100 mm
height 2 371 mm




DNO11.1

length 3 004 mm
width 143 mm
height 3 006 mm



S739

length 1 500 mm
width 25 mm
height 744 mm



CHILDREN'S TRAINING MACHINES

Children's sports equipment from Inter Atletika is the developing sports equipment based on model of outdoor machines for the adults. The workouts on this equipment helps early physical development of children and strengthens the muscles of the whole body.

Equipment is designed considering the anatomy of a child's body, making the training comfortable, safe, and effective.

Thanks to these classes, children improve their coordination, muscle tone and strength, and learn to focus on certain set of tasks. The equipment is designed for performing physical exercises in a playful and entertaining way in the open areas.

Recommended for installation in kindergartens, boarding houses and sanatoriums, parks, rehabilitation centres and other public places.



All products range available on our website

SK106

length 922 mm
width 870 mm
height 798 mm



SK101

length 585 mm
width 418 mm
height 829 mm



SK102

length 726 mm
width 445 mm
height 753 mm



SK105

length 1 430 mm
width 555 mm
height 907 mm



SK103


length 1 438 mm
width 397 mm
height 1 002 mm



TRAMPOLINES


1M-13-2

length 2 050 mm
width 2 050 mm
height 450 mm




1M-13-54

length 1 500 mm
width 1 500 mm
height 450 mm



All products range available on our website

SPORTS EQUIPMENT




MILITARY EQUIPMENT

4

UT131

length 10 817 mm
width 10 600 mm
height 4 000 mm




All products
range available
on our website

SINGLE OBSTACLE COURSE

KF907.1

length 6 000 mm
width 2 000 mm
height 1 100 mm



KF907.2

length 13 000 mm
width 3 465 mm
height 2 000 mm




KF907.3

length 5 940 mm
width 2 000 mm
height 1 800 mm



KF907.28

length 2 600 mm
width 400 mm
height 1 100 mm



SPORTS WORKOUT EQUIPMENT



All products
range available
on our website

SM800

length 3 058 mm
width 1 453 mm
height 2 425 mm



SM801

length 4 590 mm
width 3 664 mm
height 2 425 mm



SM802

length 5 832 mm
width 4 927 mm
height 2 425 mm



KF902

length 13 350 mm
width 5 210 mm
height 4 014 mm

**KF902.31**

length 1 599 mm
width 3 329 mm
height 2 671 mm

**KF902.33**


length 1 440 mm
width 539 mm
height 1 553 mm

**KF902.40**

length 2 958 mm
width 3 273 mm
height 2 564 mm

**KF900.422**

length 3 706 mm
width 454 mm
height 1 795 mm



UT102.4

length 570 mm
width 60 mm
height 170 mm

**UT102.9**

length 1 390 mm
width 680 mm
height 875 mm

**UT102.10**

weight 30 kg

**UT103**

length 2 400 mm
width 1 100 mm
height 2 450 mm

**KF902.34**


length 3 020 mm
width 936 mm
height 1 571 mm

**UT105**

length 3 540 mm
width 1 250 mm
height 2 450 mm

**UT101**

length 2 070 mm
width 1 700 mm
height 2 430 mm



MULTIFITNESS COMPLEXES AND ELEMENTS

4

MF1.1

length 648 mm
width 130 mm
height 307 mm




MF1.3

length 859 mm
width 859 mm
height 934 mm



MF1.2

length 1190 mm
width 1110 mm
height 1590 mm



MF1.4

length 714 mm
width 995 mm
height 2 214 mm



All products
range available
on our website

MF1.5

length 714 mm
width 1 199 mm
height 2 000 mm



MF1.13

length 1 230 mm
width 718 mm
height 945 mm



MF1.6

length 1 230 mm
width 1 356 mm
height 1 139 mm



MF1.7

length 1 230 mm
width 425 mm
height 161 mm



MF1.8

length 1 230 mm
width 417 mm
height 144 mm



MF1.10

length 1 230 mm
width 173 mm
height 45 mm



MF1.9

length 1 230 mm
width 1 364 mm
height 1 225 mm



MF1.12

length 530 mm
width 1 720 mm
height 615 mm




MF1.11

length 1 230 mm
width 283 mm
height 2 466 mm



MF2.1

length 648 mm
width 130 mm
height 2 659 mm



MF2.2

length 1 060 mm
width 1 190 mm
height 1 227 mm




MF2.3

length 859 mm
width 859 mm
height 727 mm



MF2.7

length 1 230 mm
width 425 mm
height 2 705 mm

**MF2.8**

length 1 230 mm
width 416,5 mm
height 2 705 mm

**MF2.6**

length 1 230 mm
width 1 356 mm
height 639 mm

**MF2.4**

length 714 mm
width 995 mm
height 1 712 mm

**MF2.5**

length 714 mm
width 1 199 mm
height 1 657 mm

**MF2.9**

length 1 230 mm
width 1 367 mm
height 725 mm

**MF3.1**

length 1 200 mm
width 189 mm
height 2 526 mm

**MF3.2**

length 1 230 mm
width 499 mm
height 2 526 mm

**MF3.3**

length 1 230 mm
width 490 mm
height 2 450 mm

**MF3.4**

length 3 164 mm
width 714 mm
height 2 526 mm



MF3.5

length 2 477 mm
width 1 025 mm
height 2 440 mm

**MF3.6**

length 3 259 mm
width 2 549 mm
height 2 526 mm

**MF5.1**

length 2 811 mm
width 1 100 mm
height 2 705 mm

**MF5.3**


length 4 414 mm
width 3 204 mm
height 2 705 mm

**MF5.4**

length 4 421 mm
width 3 890 mm
height 2 705 mm

**S831.1**

length 7 730 mm
width 913 mm
height 2 705 mm

**MF5.2**

length 3 694 mm
width 2 712 mm
height 2 705 mm

**S831.2**

length 2 880 mm
width 1 847 mm
height 2 705 mm

**S831.3**

length 7 130 mm
width 2 616 mm
height 3 535 mm




S831.4


length 4 862 mm
width 4 557 mm
height 4 137 mm

**S831.5**

length 8 038 mm
width 2 613 mm
height 3 527 mm

**S831.6**

length 8 712 mm
width 2 647 mm
height 3 527 mm

**S831.8**


length 2 192 mm
width 2 808 mm
height 2 705 mm

**S831.7**


length 1 442 mm
width 2 552 mm
height 2 705 mm

**S831.9**

length 5 181 mm
width 5 580 mm
height 4 127 mm

**S831.11**

length 9 971 mm
width 1 522 mm
height 2 705 mm

**S831.10**

length 5 116 mm
width 1 661 mm
height 2 705 mm


**S831.12**

length 7 574 mm
width 7 530 mm
height 4 127 mm



S831.13

length 13 530 mm
width 7 605 mm
height 4 137 mm

**S832.1**

length 1 230 mm
width 173 mm
height 2 705 mm

**S832.2**

length 1 730 mm
width 173 mm
height 2 705 mm

**S833.1**

length 2 330 mm
width 686 mm
height 2 705 mm

**S832.4**


length 1 316 mm
width 1 316 mm
height 2 705 mm

**S832.3**

length 1 230 mm
width 173 mm
height 1 027 mm

**S832.5**

length 7 000 mm
width 400 mm
height 1 027 mm



S833.2


length 2 330 mm
width 1 228 mm
height 2 705 mm

**S833.3**

length 4 530 mm
width 1 228 mm
height 2 705 mm

**S834.1**


length 3 130 mm
width 873 mm
height 1 657 mm

**S834.2**

length 1 630 mm
width 996 mm
height 1 657 mm

**S834.3**

length 1 630 mm
width 996 mm
height 327 mm

**S834.4**

length 1 630 mm
width 996 mm
height 727 mm

**S834.5**


length 1 414 mm
width 1 409 mm
height 1 657 mm

**S834.6**

length 1 414 mm
width 2 231 mm
height 1 657 mm

**S834.7**

length 2 330 mm
width 996 mm
height 699 mm

**S835.1**

length 1 737 mm
width 747 mm
height 591 mm

**S835.2**

length 1 668 mm
width 747 mm
height 1 056 mm

**S835.3**

length 1 600 mm
width 650 mm
height 627 mm



**S839.1**

length 1 230 mm
width 283 mm
height 2 705 mm

**S836.1**

length 3 698 mm
width 4 075 mm
height 808 mm

**S836.2**

length 3 430 mm
width 326 mm
height 2 705 mm

**S835.4**


length 1 600 mm
width 680 mm
height 727 mm

**S839.2**

length 309 mm
width 130 mm
height 2 705 mm

**S839.3**

length 2 130 mm
width 242 mm
height 4 127 mm



TRAINING MACHINES KF SERIE



All products
range available
on our website




KF series is equipped with a mechanism that allows a user to adjust the load in a wide range.

Built-in weights enable a user to increase the load gradually for complete training sessions.

KF802-S

length 1 600 mm
width 1 630 mm
height 1 500 mm



KF804-S

length 1 714 mm
width 1 222 mm
height 1 103 mm



KF801-S

length 1 960 mm
width 1 450 mm
height 1 220 mm



KF803-S

length 2 846 mm
width 938 mm
height 1 571 mm



RECOMMENDATIONS

FOR THE USE OF PROFESSIONAL SPORTS
EQUIPMENT OF THE KF8XX SERIES

Installation of this type of equipment is allowed only on fenced sports grounds with controlled user access.

It is strictly forbidden for children to access the sports ground equipped with this type of equipment!

According to European standards, the site should have a sign with information on safety and operating rules, emergency and service phone numbers.

KF805-S

length 2 240 mm
width 1 450 mm
height 1 910 mm

**KF806**

length 2 389 mm
width 1 718 mm
height 1 195 mm

**KF807-S**

length 1 514 mm
width 1 508 mm
height 1 403 mm

**KF808-S**

length 1 870 mm
width 2 150 mm
height 720 mm

**KF809-S**

length 858 mm
width 2 160 mm
height 1 580 mm


**KF810-S**

length 1 247 mm
width 1 187 mm
height 1 137 mm





KF811-S

length 2 570 mm
width 1 000 mm
height 1 140 mm



KF812-S

length 1 437 mm
width 1 581 mm
height 1 362 mm



KF813-S

length 1 335 mm
width 1 782 mm
height 1 538 mm



KF818-S

length 2 155 mm
width 1 321 mm
height 1 617 mm



KF814-S

length 1 590 mm
width 1 080 mm
height 2 485 mm




KF817-S

length 2 155 mm
width 1 641 mm
height 1 617 mm




KF815

length 2 230 mm
width 2 366 mm
height 1 055 mm



TRAINING MACHINES SM SERIE

4



All products range available on our website

Color options for metal elements (RAL)



SM104

length 1 055 mm
width 797 mm
height 1 426 mm



SM104-114

length 1 443 mm
width 797 mm
height 1 426 mm



SM105

length 1 742 mm
width 684 mm
height 1 728 mm



SM106

length 1 033 mm
width 496 mm
height 2 051 mm



SM109

length 1 654 mm
width 1 175 mm
height 582 mm



SM135

length 987 mm
width 824 mm
height 902 mm



SM101

length 1 569 mm
width 875 mm
height 1 918 mm



SM101-102

length 1 563 mm
width 930 mm
height 1 918 mm



SM102

length 1 565 mm
width 930 mm
height 1 918 mm




SM103

length 1 747 mm
width 500 mm
height 1 508 mm



SM113

length 2 547 mm
width 1 636 mm
height 2 199 mm



SM107

length 1 236 mm
width 1 145 mm
height 1 524 mm



SM108

length 646 mm
width 845 mm
height 1 829 mm



SM110

length 916 mm
width 800 mm
height 1 119 mm



SM112

length 1 567 mm
width 984 mm
height 2 413 mm



SM136-142

length 1 264 mm
width 792 mm
height 1 458 mm

**SM136**

length 1 352 mm
width 564 mm
height 1 458 mm

**SM144**

length 1 900 mm
width 542 mm
height 1 668 mm

**SM139**

length 1 290 mm
width 490 mm
height 699 mm

**SM114**

length 1 830 mm
width 564 mm
height 1 368 mm

**SM114-S**

length 2 000 mm
width 557 mm
height 1 118 mm

**SM115**

length 489 mm
width 1 012 mm
height 1 429 mm

**SM116**

length 1 396 mm
width 566 mm
height 1 779 mm

**SM117**

length 1 125 mm
width 1 125 mm
height 2 508 mm

**SM125**

length 1 340 mm
width 722 mm
height 1 570 mm

**SM126**

length 1 559 mm
width 551 mm
height 1 108 mm

**SM126-136**

length 1 455 mm
width 548 mm
height 1 458 mm

**SM129**

length 1 561 mm
width 1 088 mm
height 928 mm

**SM128**

length 1 541 mm
width 1 230 mm
height 2 008 mm

**SM131**

length 1 029 mm
width 902 mm
height 1 982 mm

**SM134**


length 1 000 mm
width 653 mm
height 743 mm




TRAINING MACHINES SMP SERIE



All products range available on our website



Color options for metal elements (RAL)



SMP000.1

length 513 mm
width 100 mm
height 1 827 mm



SMP000.2

length 300 mm
width 300 mm
height 1 848 mm

**SMP101.1**

length 875 mm
width 1 022 mm
height 1 756 mm

**SMP102.1**


length 935 mm
width 1 038 mm
height 1 647 mm

**SMP103.1**


length 1 113 mm
width 500 mm
height 1 620 mm

**SMP104.1**

length 792 mm
width 767 mm
height 1 620 mm

**SMP105.1**


length 1 136 mm
width 685 mm
height 1 620 mm

**SMP106.1**

length 757 mm
width 496 mm
height 1 620 mm

**SMP107.1**

length 872 mm
width 1 145 mm
height 1 620 mm

**SMP108.1**

length 567 mm
width 845 mm
height 1 620 mm

**SMP109.1**

length 1 463 mm
width 690 mm
height 528 mm

**SMP110.1**

length 1 187 mm
width 800 mm
height 1 115 mm

**SMP112.1**

length 732 mm
width 983 mm
height 2 285 mm



SMP114.1

length 1 156 mm
width 564 mm
height 1 748 mm

**SMP116.1**

length 1 605 mm
width 566 mm
height 1 844 mm

**SMP125.1**

length 935 mm
width 704 mm
height 1 620 mm

**SMP114.1-S**

length 1 292 mm
width 557 mm
height 1 756 mm

**SMP115.1**

length 1 269 mm
width 489 mm
height 1 489 mm

**SMP128.1**

length 1 027 mm
width 1 230 mm
height 2 014 mm

**SMP134.1**

length 1 129 mm
width 653 mm
height 803 mm

**SMP135.1**

length 987 mm
width 957 mm
height 962 mm

**SMP136.1**

length 916 mm
width 564 mm
height 1 620 mm

**SMP139.1**

length 1 536 mm
width 490 mm
height 699 mm

**SMP141.1-T**

length 1 409 mm
width 602 mm
height 1 580 mm

**SMP142.1**

length 824 mm
width 792 mm
height 1 620 mm



TRAINING MACHINES SE SERIE

4



All products range available on our website



Color options for metal elements (RAL)



SE101

length 1 596 mm
width 875 mm
height 1 948 mm



SE101-102

length 1 584 mm
width 875 mm
height 1 948 mm



SE102

length 1 578 mm
width 874 mm
height 1 848 mm



SE103

length 1 777 mm
width 500 mm
height 1 548 mm



SE126

length 1 510 mm
width 544 mm
height 1 076 mm



SE109

length 1 280 mm
width 1 274 mm
height 553 mm





SE104-114

length 1 332 mm
width 797 mm
height 1 426 mm



SE105

length 1 742 mm
width 685 mm
height 1 561 mm



SE103-142

length 1 477 mm
width 792 mm
height 1 548 mm



SE104

length 1 088 mm
width 797 mm
height 1 426 mm



SE110

length 928 mm
width 725 mm
height 1 109 mm



SE115

length 1 071 mm
width 481 mm
height 1 518 mm



SE105-117

length 1 453 mm
width 907 mm
height 2 563 mm



SE107

length 1 233 mm
width 1 145 mm
height 1 524 mm



SE116

length 1 186 mm
width 625 mm
height 1 658 mm



SE117-125-126

length 1 434 mm
width 1 548 mm
height 2 557 mm



SE126-136

length 1 360 mm
width 641 mm
height 1 435 mm

**SE128**

length 1 547 mm
width 1 230 mm
height 2 051 mm

**SE129**

length 1 593 mm
width 1 088 mm
height 998 mm

**SE131**

length 1 027 mm
width 902 mm
height 1 981 mm

**SE135**

length 1 123 mm
width 824 mm
height 887 mm

**SE139**

length 979 mm
width 482 mm
height 1 382 mm

**SE140**

length 1 083 mm
width 815 mm
height 1 564 mm

**SE141-T**

length 918 mm
width 602 mm
height 1 517 mm

**SE142**

length 1 177 mm
width 793 mm
height 1 358 mm

**SE201**

length 952 mm
width 875 mm
height 1 948 mm

**SE202**

length 942 mm
width 935 mm
height 1 948 mm

**SE203**

length 1 039 mm
width 500 mm
height 1 548 mm

**SE226**

length 903 mm
width 540 mm
height 1 076 mm

**SE228**

length 927 mm
width 1 230 mm
height 2 051 mm



EQUIPMENT FOR STADIUMS AND TEAM SPORTS



All products range available on our website

UT401

length 218 mm
width 100 mm
height 3 005 mm



UT402

length 170 mm
width 100 mm
height 1 640 mm



UT405-01

length 910 mm
width 2 107 mm
height 1 200 mm



UT405.1-01

length 910 mm
width 2 107 mm
height 1 200 mm



UT406.1-01

length 2 022 mm
width 2 022 mm
height 1 200 mm




UT409-01

length 1 800 mm
width 900 mm
height 1 052 mm



UT409.1-01

length 1 800 mm
width 900 mm
height 1 052 mm



UT418

length 2 126 mm
width 1 800 mm
height 3 950 mm



UT712

length 2 636 mm
width 524 mm
height 353 mm



UT600

length 3 170 mm
width 980 mm
height 2 480 mm




UT601

length 1 932 mm
width 690 mm
height 1 270 mm



UT705

length 6 668 mm
width 3 105 mm
height 2 365 mm




UT720-22

length 6 666 mm
width 1 370 mm
height 1 565 mm




UT208-6

length 3 080 mm
width 770 mm
height 2 036 mm




UT720-15 (52)

length 14 992 mm
width 1 370 mm
height 1 565 mm



MULTIFUNCTIONAL SPORTS GROUNDS

4



All products
range available
on our website

Multifunctional comprehensive solution for sports and training area of 140 sq. m, including 12 pieces of equipment.

The equipment enables to gently warm up and then thoroughly work out all the body muscles.


The large area of the site allows both individual and group training sessions.

The equipment is designed for all age ranges and population groups.

We offer playgrounds for installation in parks, on the premises of educational institutions and in the court yards of residential complexes with open access for everyone. The equipment is designed considering long-term active use.




DOG TRAINING EQUIPMENT



Barrier 3 levels

BO002


length 3 000 mm
width 100 mm
height 2 000 mm



Angled wall

BO004

length 4 169 mm
width 1 000 mm
height 1 603 mm




Barrier Wheel

BO003

length 1 180 mm
width 756 mm
height 1 478 mm

**BO010**

length 9 532 mm
width 1 000 mm
height 1 000 mm



Straight beam

BO005

length 8 612 mm
width 264 mm
height 997 mm




Information post

BO016

length 400 mm
width 250 mm
height 2 296 mm

**BO012**


length 1 537 mm
width 1 262 mm
height 1 200 mm



Slalom

BO011

length 7 000 mm
width 850 mm
height 1 000 mm

**BO008**

length 1 000 mm
width 1 000 mm
height 1 999 mm

**BO007**

length 2 074 mm
width 1 500 mm
height 1 596 mm



Barrier

BO017

length 1 058 mm
width 400 mm
height 1 000 mm

**BO013**

length 4 250 mm
width 534 mm
height 702 mm



Connection

BO014.1


length 93 mm
width 93 mm
height 615 mm



Slide with handrails


BO006

length 7 016 mm
width 1 000 mm
height 4 074 mm




BO001

length 2 000 mm
width 100 mm
height 1 001 mm

**BO002.1**




length 3 000 mm
width 100 mm
height 1 200 mm

**BO006-2,5**

length 6 019 mm
width 1 000 mm
height 4 074 mm


**BO009**

length 1000 mm
width 50 mm
height 750 mm





PARK EQUIPMENT



LP002

length 1 710 mm
width 566 mm
height 845 mm

**LP002.1**

length 1 710 mm
width 421 mm
height 400 mm

**LP006**

length 1 710 mm
width 503 mm
height 793 mm

**LP006.1**


length 1 710 mm
width 410 mm
height 406 mm

**LP014**


length 1 200 mm
width 410 mm
height 401 mm

**LP014.1**

length 1 202 mm
width 410 mm
height 401 mm

**LP014.2**

length 1 631 mm
width 410 mm
height 398 mm

**LP034**

length 3 000 mm
width 3 000 mm
height 860 mm

**LP031**

length 1 800 mm
width 458 mm
height 433 mm

**LP061**

length 1 760 mm
width 588 mm
height 807 mm

**LP035-1,7-RC**

length 1 750 mm
width 693 mm
height 763 mm

**LP064**

length 1 710 mm
width 524 mm
height 714 mm



LP063

length 1760 mm
width 587 mm
height 728 mm

**LP701.1**

length 1906 mm
width 368 mm
height 638 mm

**LP705.2**

length 1800 mm
width 405 mm
height 450 mm

**LP722.1**

length 1800 mm
width 410 mm
height 450 mm

**LP724**

length 1810 mm
width 430 mm
height 690 mm

**LP726.1**

length 1780 mm
width 450 mm
height 420 mm

**LP030**

length 1800 mm
width 458 mm
height 433 mm

**LP033**

length 1802 mm
width 400 mm
height 400 mm

**LP035.1-1,7-RC**

length 1750 mm
width 694 mm
height 514 mm

**LP065**

length 1598 mm
width 702 mm
height 850 mm

**LP702.1**

length 1800 mm
width 643 mm
height 450 mm

**LP701.2**

length 1906 mm
width 368 mm
height 638 mm

**LP704.1**

length 1800 mm
width 524 mm
height 674 mm

**LP703.1**

length 1943 mm
width 430 mm
height 460 mm



LP722

length 1 800 mm
width 494 mm
height 849 mm

**LP723**

length 1 890 mm
width 634 mm
height 825 mm

**LP725.1**

length 1 886 mm
width 544 mm
height 554 mm

**LP728.1**

length 1 800 mm
width 440 mm
height 450 mm

**LP728.1-B**

length 1 800 mm
width 440 mm
height 450 mm

**LP729**

length 1 930 mm
width 567 mm
height 769 mm

**LP730.1**

length 1 800 mm
width 440 mm
height 450 mm

**LP733.1**

length 1 800 mm
width 500 mm
height 516 mm

**LP734**

length 1 930 mm
width 513 mm
height 809 mm

**LP734.1**

length 1 930 mm
width 410 mm
height 450 mm

**LP735**

length 1 930 mm
width 630 mm
height 829 mm

**LP738**

length 1 800 mm
width 617 mm
height 849 mm

**LP738.1**

length 1 800 mm
width 612 mm
height 570 mm

**LP739.1**

length 2 008 mm
width 394 mm
height 450 mm

**LP752**

length 1 800 mm
width 670 mm
height 847 mm

**LP753**

length 2 000 mm
width 660 mm
height 824 mm

**LP754**

length 2 010 mm
width 645 mm
height 784 mm

**LP755.1**

length 1 800 mm
width 440 mm
height 450 mm



LP791

length 2 600 mm
width 1 040 mm
height 2 206 mm

**LP792**

length 2 500 mm
width 1 200 mm
height 2 111 mm

**LP793**

length 2 626 mm
width 1 160 mm
height 2 137 mm

**LP204**

length 520 mm
width 430 mm
height 1 030 mm

**LP206**

length 467 mm
width 430 mm
height 720 mm

**LP212**

length 475 mm
width 475 mm
height 832 mm

**LP212.1**

length 475 mm
width 475 mm
height 984 mm

**LP213**

length 1 320 mm
width 480 mm
height 791 mm

**LP213.1**

length 1 380 mm
width 550 mm
height 1 019 mm



ALL PRODUCTS

SLIDES



LK320



LK320-UKRAINE



LK320-COSMOS



LK320-VIKINGS



LK321



LK321-UKRAINE



LK321-COSMOS



LK321-VIKINGS



LK322-COSMOS



LK322-VIKINGS



LK322



LK322-UKRAINE

SPRING RIDERS



LK401



LK402



LK403



LK404



LK420




LK421



T215



TE230



TE243.1



TE246



TE249.1



TE250.1



TE254



TE255



TE256



TE257



TE258



TE259



TE266



TE267



TE280



TE281



TE282



TE283



TE284



TE285



TE286



TE287



TE288



TE289



TE290

SEESAWS



LK430



TE201



TE213



TE222



TE242

CAROUSELS



LK482



TE211




TE211-R



TE212-R



T216




T216.1



TE217



TE217-R



EQUIPMENT FOR SAND GAMES



PLAY HOUSES AND GARDEN GAZEBOS



SWINGS




CARS, TRAINS



GYMNASTIC COMPLEXES



ROPE COMPLEXES



COMPONENTS FOR PLAY COMPLEXES



PLAY COMPLEXES FOR PRIVATE USE




PLAY COMPLEXES FOR PRESCHOOL CHILDREN




PLAY COMPLEXES FOR SCHOOL-AGE CHILDREN




INCLUSIVE EQUIPMENT FOR CHILDREN WITH SPECIAL NEEDS



PLAY PANELS AND ADDITIONAL ELEMENTS




ELEMENTS OF CHILDREN'S PLAYGROUND IMPROVEMENTS



CHILDREN'S TRAINING EQUIPMENT



TRAMPOLINES



GARDEN AND PARK EQUIPMENT





TRAINING MACHINES SE SERIE



TRAINING MACHINES SM SERIE





TRAINING MACHINES SMP SERIE




KF SERIE




MULTIFITNESS COMPLEXES AND ELEMENTS







SPORTS WORKOUT EQUIPMENT




MILITARY AND SPORTS EQUIPMENT




MULTIFUNCTIONAL SPORTS COMPLEX



EQUIPMENT FOR STADIUMS AND TEAM SPORTS



DOG TRAINING EQUIPMENT





CHILDREN'S AND SPORTS EQUIPMENT

📍 08293, Ukraine,
Kyiv Region, Bucha,
17B Instytutska
Street


☎ +38 095 273 81 53
+38 050 713 11 54

✉ export.team@interatletika.com

🌐 play.interatletika.com




WE ARE ON SOCIAL MEDIA:



📷 [instagram.com/interatletika.global](https://www.instagram.com/interatletika.global)



📘 [fb.com/interatletika.global](https://www.facebook.com/interatletika.global)



📺 [youtube.com/@play.interatletika](https://www.youtube.com/@play.interatletika)

interatletika™

