

Customer support:


⊕ +38 095 273 81 53
play.interatletika.com

**⋈** export.team@interatletika.com

# **DATA SHEET**

**Basketball stand** 

UT417, UT417.1



# **CONTENT**

Chapter Chapter Chapter Chapter Chapter Chapter Chapter	1 2 3 4 5 6 7	INTRODUCTION DESCRIPTION AND WORK PRODUCT USE FOR PURPOSE TECHNICAL MAINTENANCE STORAGE TRANSPORTATION DISPOSAL	4 4 5 8 8 8	page page page page page page
		FOR NOTES		

## 1. INTRODUCTION

**Purpose and content of this document.** This document contains general description of the product and its operation, as well as information on installation, intended use, maintenance, transportation, and storage of the product.

**Level of special training of the user.** To use the product each adult user is obliged to:

- read and study this document in detail;
- strictly adhere to the requirements and recommendations of this document;
- know and strictly adhere to the general rules of sports (physical exercise exercises).

**Distribution of this document on product modifications.** The manufacturer can make changes to the product's design to improve its characteristics, change its design, etc. This document may not contain a description of such changes, but it applies to such modified products.

## 2. DESCRIPTION AND WORK

**Product purpose.** The name of the product and its intended use are indicated on the title page of this document. It is intended for outdoor physical exercise. Use of the product means use of the product outdoors by a group of people in accordance with the number of places available on the product.

#### **Product characteristics.**

	UT417	UT417.1
Length	: <b>2089 mm</b>	2081 mm
Width	: <b>1800 mm</b>	1800 mm
Height	: <b>3930 mm</b>	3930 mm
Weight, kg	: <b>138 kg</b>	133 kg
Working environment	: outdoors	
Country of manufacture	: Ukraine	

**Product composition.** The general appearance of the product is shown on the title page.

## Names of the main components of the product:

Nō	Description of parts	Quantity
1	Rack	1
2	Shield with frame	1
3	Shield fastening	2
4	Basketball ring	1
5	Foundation part	1
6	Fastening kit	1

**Structure and operation.** The basketball shield is mounted on a metal rack and is intended for sports and entertainment use.

**Tools and accessories.** The product does not include the tools required for assembly and installation.

**Marking and sealing.** In order to prevent unauthorised disassembly (by unauthorised employees of the Inter Atletika Service Centre), the product contains special disposable plastic fasteners (seals) that deform when disassembled without authorisation.

**Packaging.** The product is delivered in polyethylene packaging. Additionally, the product may be packed in cardboard. The polyethylene packaging must be retained by the Customer (the product can only be returned in its packaging). There are no seals on the packaging.

# 3. PRODUCT USE FOR PURPOSE

**Operational limitations.** The product must be used for its intended purpose.

**Preparing the product for use.** Before use the product must be installed in full compliance with the requirements of this document and other documents relating to the assembly of the product (if such documents are supplied with the product). General view of the product is shown in the picture  $N_2$  1.


**Assembly and installation instructions.** The product is delivered unassembled. The assembly and installation scheme is provided in the picture 2-3.

Explanation:


- 1) Dig a hole in the ground to install the rack, taking into account that the plane of the shield should be located above the 'out' line of the playing field (the dimensions of the hole are shown in the picture 5).
- 2) Fill the recess with concrete grade B 15 small fraction (as shown in the picture 5).
- 3) Pour concrete into the foundation and use a spirit level to ensure that the foundation's supporting surface is horizontal.
- 4) After two weeks (once the concrete has completely set), unscrew the top nuts, remove the washers, install the rack assembly with the shield and ring on the foundation, and secure it with nuts and washers in the reverse order of disassembly.

5) To prevent unauthorised dismantling of the equipment, it is recommended that, after installation, the threaded parts of the bolts and foundation anchors protruding beyond the nuts be damaged with a metal tool.

ATTENTION! FAILURE TO COMPLY WITH THE REQUIREMENTS FOR THE QUANTITY, BRAND AND SETTING TIME OF CONCRETE WILL RESULT IN INCORRECT INSTALLATION OF THE EQUIPMENT AND, AS A CONSEQUENCE, ITS INCORRECT OPERATION. RESPONSIBILITY FOR COMPLIANCE WITH EQUIPMENT INSTALLATION REQUIREMENTS LIES WITH THE CUSTOMER.




For **YT417** 




For **YT417.1** 


Picture 1 – Overall dimensions




Picture 2 - Installation scheme 1



Picture 3 – Installation scheme of Ring with net for UT417.1



Picture 4 - Installation scheme 2



Picture 5 - Concreting scheme

#### 4. TECHNICAL MAINTENANCE

Maintenance of the product primarily involves the user's responsibility to comply with all recommendations provided in this document, starting with daily inspection of the external condition of the product.

Before using the product check its operability and absence of damage (breakage) – if the product is damaged or completely or partially inoperable, its use is forbidden.

## **5. STORAGE**

**Procedure for preparing a product for storage and removing it from storage.** *ATTENTION!* The product is designed for continuous use for its intended purpose (subject to the restrictions specified in this document) after installation.

If circumstances require prolonged non-use of the product, we recommend adhering to the following storage conditions (the list of storage conditions is not exhaustive):

- store the product in a closed, warm, dry place, protected from direct sunlight;
- protect the product from external factors (dust, water splashes during cleaning, etc.) with a large polyethylene bag, leaving space for free air circulation;
  - take all other measures to preserve the appearance and properties of the product during storage.

When removing the product from storage and starting to use it, follow these recommendations:

- remove protective materials (polyethylene, paper, etc.) from the product;
- remove dust and other dirt from the surface of the product;
- check the product's operability.

## 6. TRANSPORTATION

The product is transported in disassembled form. The packaging method must correspond to the packaging method used prior to the first assembly of the product. Transportation must be carried out in such a way as to protect the product in its packaging from external factors (rain, snow, sunlight, water, humidity, etc.).

### 7. DISPOSAL

After the end of the product's service life, the Customer independently determine the procedure for its further use. If you decide to dispose of the machine, please contact the product seller or specialised organisations.