

# interatletika™

PRODUCTION AND SALE OF SPORTS GOODS

Customer support:


+38 095 273 81 53

[play.interatletika.com](http://play.interatletika.com)

## DATA SHEET

Workout Complexes

KF900.422, KF902, KF902.11,  
KF902.12, KF902.13, KF902.14,  
KF902.16, KF902.17, KF902.18,  
KF902.19, KF902.21, KF902.24,  
KF902.25, KF902.26, KF902.31,  
KF902.33, KF902.34, KF902.36,  
KF902.51, KF902.52, KF902.53



## CONTENT

| <b>№</b> | <b>Chapter</b>                              | <b>Page</b> |
|----------|---------------------------------------------|-------------|
| 1        | General information                         | 3           |
| 2        | Product assembly and installation procedure | 3           |
| 3        | Use of the product                          | 3           |
| 4        | Product maintenance                         | 3           |
| 5        | Technical data and assembly schemes         | 6           |

**FOR NOTES**

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings present.

## **1. GENERAL INFORMATION**

**Purpose and content of this document.** This document contains a general description of the equipment, information on installation, intended use, maintenance, current repair and manufacturer's guarantee.

**Distribution of this document for product modifications.** The manufacturer can make changes to the design of the product, aimed at improving its characteristics, changing the design, etc. This document may not contain a description of such changes, but applies to such modified products.

## **2. PRODUCT ASSEMBLY AND INSTALLATION PROCEDURE**

**Tools and accessories.** The product does not include the tools required for installation.

**Procedure for assembling and installing the product.**

- 1) Assemble the product.
- 2) Treat all bolted connections with anaerobic adhesive.
- 3) Install the product according to pic. 4-15. During installation of the product on sandy soil, the overall dimensions of the foundation should be increased by 15-20%.

## **3. USE OF THE PRODUCT**

Do not use the product until it has been fully and completely installed.

The product must not be used by users of a different age category.

The product must not be used by users of a different weight category.

Before using the product, clear the safety area of any unnecessary objects that may cause damage to the user (debris, tools left over from assembly and installation, etc.).

Do not use the product in adverse weather conditions (ice, snow, rain, hail, strong winds, etc.), which may cause injury to the user.

## **4. PRODUCT MAINTENANCE**

You have purchased high-quality and reliable equipment. In the process of its production, the requirements of regulatory and technical documents of Ukraine, the CIS countries and the European Union regulating the production of children's gaming equipment were taken into account. However, it should not be forgotten that when operating any technical product, certain rules and requirements must be followed. Despite the fact that our product is of high quality and reliability, this rule applies to it in full. You should be aware that the implementation of the following rules and recommendations for product maintenance is aimed at ensuring that your child, the child of your friends or acquaintances is safe and no unforeseen factors threaten his health, life.

Remember that the operation of the product is accompanied by the influence of various negative factors on it, a complete list of which cannot be predicted. Among them, an important place is occupied by natural factors and factors caused by human influence on equipment. As a rule, their action initially leads to disruptions in the appearance of the product. Thus, under the influence of factors caused by the exploitation of a person, there may be damage to the integrity of the paint coating of parts made of wood, in the form of scuffs, chips, incisions, and when exposed to parts made of metal, damage to the paint coating in the form of nicks, chips, abrasion, etc. This leads to the emergence and development of defects that can be the cause of the destruction of the product. The product is particularly dangerous if it is used for other than its intended purpose, if the permissible loads are exceeded, or if vandalism occurs, as these factors can cause irreversible changes in the structure of the material from which the product is made, leading to destruction.

The maintenance of the product implies, first of all, the responsibility of the user to comply with all recommendations provided in this document, starting with a daily inspection of the external condition of the product before operation.

Daily inspection of the product is a very important procedure. With its help, you can timely detect any changes in the appearance of the product (deformation of individual parts, deformation of the structure as a whole or part of it, damage to parts, cracks of welds, as well as the absence of fastening of parts of the product, etc.).

Before using the product, check its operability, absence of damage, dirt on the product, sharp edges, reliability of fixing the structure, absence of unnecessary objects on the surface of the site. If the product is damaged, fully or partially inoperable, or has any other defects, do not use it.

During operation it is also necessary to inspect the condition of the product periodically - the current inspection. It includes an external inspection of the product, checking its operability (in the presence of moving elements - the smoothness of the movement of mechanisms, compliance with operating modes, etc.). Current inspection allows you to detect malfunctions caused by the operation of equipment, climatic conditions, acts of vandalism and other factors, until they reach a critical level and the destruction of the product. The current inspection is carried out in order to detect foreign objects that may threaten the user and lead to violations of the functioning of the product. The frequency of the current inspection is set by the owner taking into account the operating conditions. If you do not have sufficient technical knowledge and skills to conduct such inspections, we recommend you to contact the authorized specialists of the manufacturer in order to obtain advice.

Every three months, a scheduled inspection should be carried out, which primarily concerns the foundation part, load-bearing elements and connection nodes of elements (their integrity and degree of deterioration).

The main annual inspection must be carried out annually by authorised specialists of the manufacturer. During the inspection, the technical condition of the equipment shall be assessed for compliance with safety requirements. The

degree of deterioration and damage to wooden elements and their ability to withstand the applied loads, damage, corrosion of metal elements and the impact of these factors on the safety of the product are determined. The inspection also helps to identify the impact of repairs, if any, on the safety of the equipment.

Based on the results of the inspection, a maintenance procedure is carried out to eliminate the identified discrepancies in the product's operation. This procedure includes assessing the condition of parts and assemblies, replacing worn parts, and restoring the integrity of protective coatings. The results of the inspections, as well as the procedures carried out as a result of the inspection and maintenance of the product must be properly documented in the Registration Journal, which is an integral part of this passport. The owner of the product must keep the acts of maintenance of the product, acts of repair work.




## 5. TECHNICAL DATA AND ASSEMBLY SCHEMES

|                   | KF900.422 | KF902 | KF902.11 | KF902.12 | KF902.13 | KF902.14 | KF902.16 |
|-------------------|-----------|-------|----------|----------|----------|----------|----------|
| Length, mm        | 3706      | 13350 | 13350    | 8549     | 13350    | 8549     | 10950    |
| Width, mm         | 454       | 5210  | 5729     | 5612     | 4940     | 4410     | 6410     |
| Height, mm        | 1795      | 4014  | 3014     | 3045     | 3047     | 3045     | 3047     |
| Weight, kg        | 90        | 1466  | 1425     | 914      | 1362     | 760      | 1382     |
| Weight limits, kg | to 150    |       |          |          |          |          |          |


|                   | KF902.17 | KF902.18 | KF902.19 | KF902.21 | KF902.24 | KF902.25 | KF902.26 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|
| Length, mm        | 18386    | 8786     | 22950    | 3272     | 6220     | 5130     | 6200     |
| Width, mm         | 6960     | 3361     | 5761     | 4404     | 5414     | 1980     | 2665     |
| Height, mm        | 4014     | 3046     | 4014     | 2671     | 2671     | 2671     | 2564     |
| Weight, kg        | 2290     | 680      | 2353     | 408      | 746      | 405      | 403      |
| Weight limits, kg | to 150   |          |          |          |          |          |          |

|                   | KF902.31 | KF902.33 | KF902.34 | KF902.36 | KF902.51 | KF902.52 | KF902.53 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|
| Length, mm        | 1599     | 1440     | 3020     | 6200     | 5042     | 2008     | 420      |
| Width, mm         | 3329     | 539      | 936      | 800      | 5260     | 1085     | 231      |
| Height, mm        | 2671     | 1553     | 1571     | 694      | 2564     | 1723     | 1255     |
| Weight, kg        | 237      | 67       | 77       | 185      | 408      | 94       | 23       |
| Weight limits, kg | to 150   |          |          |          |          |          |          |

Table 1- External view




KF902.11




KF902.12




KF902.13




KF902.14




KF902.16




KF902.17



**KF902.18**



**KF902.19**




**KF902.21**




**KF902.24**



**KF902.25**




**KF902.26**



**KF902.31**



**KF902.33**




**KF902.34**



**KF902.36**




**KF902.51**




**KF902.52**



**KF902.53**




# KF900.422



| Pos. | Name                   | Weight, kg | Q-ty |
|------|------------------------|------------|------|
| 1    | Bench frame            | 14         | 2    |
| 2    | Stand frame            | 41         | 1    |
| 3    | Hook                   |            | 8    |
| 4    | Plug                   |            | 2    |
| 5    | Bolt M12*110 GOST 7798 |            | 4    |
| 6    | Nut M12 DIN985         |            | 4    |
| 7    | Washer 12 GOST11371    |            | 8    |
| 8    | Washer 8 GOST11371     |            | 20   |
| 9    | Rivet 4.8x16 DIN7337   |            | 16   |
| 10   | Furniture stud M8x25   |            | 20   |
| 11   | Washer 8 GOST6402      |            | 20   |
| 12   | Cap nut M8 DIN1587     |            | 20   |
| 13   | Backrest               | 8          | 2    |
| 14   | Stand seat             | 32         | 1    |

Picture 1 – Assembly scheme of bench with a stand


# KF902



Connection of a single flange to a rack – Bolt M10x110 GOST7798  
 Connection of two flanges to a rack - Bolt M10x120 GOST7798

Picture 2 – Assembly scheme (Identical assembly scheme for KF902.11, KF902.12, KF902.13, KF902.14, KF902.16, KF902.17, KF902.18, KF902.19, KF902.21, KF902.24, KF902.25, KF902.26, KF902.31, KF902.51)  
 Additional assembly scheme can be found in the appendix.


# KF902.33



| Pos. | Name                   | Weight, kg | Q-ty |
|------|------------------------|------------|------|
| 1    | Rack 1.5 m assembly    | 15         | 2    |
| 2    | Binder 1.12 m          | 7          | 1    |
| 3    | Hook                   |            | 4    |
| 4    | Backrest               | 8          | 1    |
| 5    | Frame                  | 20         | 1    |
| 6    | Bolt M12*110 GOST 7798 |            | 8    |
| 7    | Nut M12 DIN985         |            | 8    |
| 8    | Washer 12 GOST11371    |            | 16   |
| 9    | Washer 8 GOST11371     |            | 8    |
| 10   | Furniture stud M8x25   |            | 8    |
| 11   | Cap nut M8 DIN1587     |            | 8    |
| 12   | Rivet 4.8x16 DIN7337   |            | 8    |
| 13   | Washer 8 GOST6402      |            | 8    |

Picture 3 – Assembly scheme


# KF902.34



| <i>Pos.</i> | <i>Name</i>            | <i>Weight, kg</i> | <i>Q-ty</i> |
|-------------|------------------------|-------------------|-------------|
| 1           | Rack 1.5m assembly     | 13                | 4           |
| 2           | Beams                  | 12                | 2           |
| 3           | Plug DN40R             |                   | 4           |
| 4           | Bolt M12*110 GOST 7798 |                   | 8           |
| 5           | Nut M12 DIN985         |                   | 8           |
| 6           | Washer 12 GOST11371    |                   | 16          |

**Picture 4 – Assembly scheme**


## KF902.36



| <i>Pos.</i> | <i>Name</i>                        | <i>Weight,<br/>kg</i> | <i>Q-ty</i> |
|-------------|------------------------------------|-----------------------|-------------|
| 1           | Rack 0.7 m for bar                 | 7                     | 5           |
| 2           | Rack 0.3 m for bar                 | 5                     | 5           |
| 3           | Press bar 1.5 m                    | 15                    | 8           |
| 4           | Bolt M12*110 DIN 933 (full thread) |                       | 8           |
| 5           | Bolt M12*120 DIN 933 (full thread) |                       | 12          |
| 6           | Nut M12 DIN985 (lock nut)          |                       | 20          |
| 7           | Washer 12 DIN 125 (flat)           |                       | 40          |

Picture 5 – Assembly scheme


# KF902.52



| Pos. | Name                        | Weight, kg | Q-ty |
|------|-----------------------------|------------|------|
| 1    | Foundation assembly         | 8          | 2    |
| 2    | Rack 1.5 m                  | 13         | 2    |
| 3    | Stand frame                 | 34         | 1    |
| 4    | Support                     | 1          | 2    |
| 5    | Abut 2000 mm                |            | 2    |
| 6    | Abut 1500 mm                |            | 2    |
| 7    | Composite sheet             | 12         | 1    |
| 8    | Bolt M10*20 GOST 7798       |            | 4    |
| 9    | Bolt M10*55 GOST 7798       |            | 4    |
| 10   | Bolt M16*30 GOST 7798       |            | 8    |
| 11   | Nut M16 DIN7337             |            | 8    |
| 12   | Rivet 4.8x12 DIN7337        |            | 18   |
| 13   | Rivet-nut M10 (countersunk) |            | 4    |
| 14   | Washer 10 GOST11371         |            | 8    |
| 15   | Washer 16 GOST11371         |            | 16   |

Picture 6 – Assembly scheme


# KF902.53




| Pos. | Name                             | Weight, kg | Q-ty |
|------|----------------------------------|------------|------|
| 1    | Sign rack                        | 14         | 1    |
| 2    | Composite sheet                  |            | 1    |
| 3    | Panel A3                         |            | 1    |
| 4    | Plug ZDO 18x15 (for tech. holes) |            | 4    |
| 5    | Nut M5 DIN985                    |            | 4    |
| 6    | Stud M5x20 ISO7380               |            | 4    |
| 7    | Washer 5 GOST11371               |            | 8    |
| 8    | Washer 5 GOST11371               |            | 4    |
| 9    | Foundation assembly              | 8          | 1    |

**Picture 7 – Assembly scheme**


# Landing zone




Picture 8 - For KF902




Picture 9 - For KF902.11




**Picture 10 - For KF902.12**




**Picture 11 - For KF902.13**




**Picture 12 - For KF902.14**




**Picture 13 - For KF902.16**




**Picture 14 - For KF902.17**




**Picture 15 - For KF902.18**




**Picture 16 - For KF902.19**




**Picture 17 - For KF902.21**




**Picture 18 - For KF902.24**




Picture 19 - For KF902.25



Picture 20 - For KF902.26




**Picture 21 - For KF902.31**




**Picture 22 - For KF902.51**


# Marking for installation




Picture 23 -For KF902




Picture 24 - For KF902.11




**Picture 25 - For KF902.12**




**Picture 26 - For KF902.13**




**Picture 27 - For KF902.14**




**Picture 28 - For KF902.16**




**Picture 29 - For KF902.17**




**Picture 30 - For KF902.18**




**Picture 31 - For KF902.19**




**Picture 32 - For KF902.21**




**Picture 33 - For KF902.24**



**Picture 34 - For KF902.25**




**Picture 35 -For KF902.26**




**Picture 36 - For KF902.31**




**Picture 37 - For KF902.34**



**Picture 38 - For KF902.36**




**Picture 39 - For KF902.51**




**Picture 40 - Concreting scheme**


# Appendix



Picture 41 – KF900.422




Picture 42 – KF902




| Pos. | Name                                              | Weight, kg | Q-ty |
|------|---------------------------------------------------|------------|------|
| 1    | Rack 2.6m assembly                                | 21         | 18   |
| 2    | Rack 3.0m assembly                                | 24         | 4    |
| 3    | Rack 4.0m assembly                                | 31         | 2    |
| 4    | Horizontal bar 1.12m                              | 4          | 9    |
| 5    | Horizontal bar with balls assembly                | 14         | 1    |
| 6    | Horizontal bar with thick crossbars               | 11         | 1    |
| 7    | Horizontal bar 2.4m for functional loops assembly | 27         | 1    |
| 8    | Horizontal bar ladder assembly                    | 29         | 1    |
| 9    | Horizontal bar                                    | 13         | 1    |
| 10   | Monkey bar straight 2.4m                          | 63         | 2    |
| 11   | Monkey bar 2.4m                                   | 27         | 1    |
| 12   | Monkey bar with balls                             | 29         | 1    |
| 13   | Monkey bar attachment assembly                    | 18         | 1    |
| 14   | Monkey bar sloping                                | 63         | 2    |
| 15   | Monkey bar with commercial                        | 121        | 1    |
| 16   | Parallel bars attachment                          | 36         | 1    |
| 17   | Incline bench for abdominals attachment           | 30         | 1    |
| 18   | Hyperextension attachment                         | 28         | 1    |
| 19   | Australian horizontal bar attachment              | 47         | 1    |
| 20   | Push-up support attachment                        | 20         | 1    |
| 21   | Horizontal bar rings                              | 36         | 1    |
| 22   | Rack portable assembly                            | 15         | 3    |
| 23   | Wall bar triple section                           | 14         | 4    |
| 24   | Wall bar section assembly                         | 22         | 2    |
| 25   | Cap 19                                            | 3          | 138  |
| 26   | Cap 19 S                                          | 2          | 138  |
| 27   | Bolt M12*70 GOST 7798                             |            | 12   |
| 28   | Bolt M12*80 GOST 7798                             |            | 6    |
| 29   | Bolt M12*110 GOST 7798                            |            | 87   |
| 30   | Bolt M12*120 GOST 7798                            |            | 33   |
| 31   | Nut M12 DIN985                                    |            | 138  |
| 32   | Washer 12 GOST11371                               |            | 276  |

Picture 43 – Completeness KF902




Picture 44 – KF902.11




| Pos. | Name                                              | Weight, kg | Q-ty |
|------|---------------------------------------------------|------------|------|
| 1    | Rack 2.6m assembly                                | 21         | 21   |
| 2    | Rack 3.0m assembly                                | 24         | 4    |
| 3    | Horizontal bar 1.12m                              | 4          | 11   |
| 4    | Horizontal bar with balls assembly                | 14         | 1    |
| 5    | Horizontal bar ladder assembly                    | 29         | 1    |
| 6    | Monkey bar straight 2.4m                          | 63         | 2    |
| 7    | Monkey bar 2.4m                                   | 27         | 1    |
| 8    | Monkey bar attachment assembly                    | 18         | 1    |
| 9    | Monkey bar sloping                                | 63         | 2    |
| 10   | Monkey bar with commercial                        | 121        | 1    |
| 11   | Incline bench for abdominals attachment           | 30         | 1    |
| 12   | Hyperextension attachment                         | 28         | 1    |
| 13   | Australian horizontal bar attachment              | 47         | 1    |
| 14   | Push-up supports attachment                       | 20         | 1    |
| 15   | Rack portable assembly                            | 15         | 2    |
| 16   | Swedish ladder triple section                     | 14         | 2    |
| 17   | Swedish ladder section assembly                   | 22         | 1    |
| 18   | Bolt M12*70 GOST 7798                             |            | 12   |
| 19   | Bolt M12*110 GOST 7798                            |            | 82   |
| 20   | Bolt M12*120 GOST 7798                            |            | 36   |
| 21   | Nut M12 DIN985                                    |            | 130  |
| 22   | Washer 12 GOST11371                               |            | 260  |
| 23   | Parallel bars attachment                          | 36         | 1    |
| 24   | Monkey bar with balls                             | 29         | 1    |
| 25   | Horizontal bar 2.4m for functional loops assembly | 27         | 1    |
| 26   | Horizontal bar                                    | 13         | 1    |
| 27   | Horizontal bar with thick crossbar                | 5          | 1    |

Picture 45 – Completeness KF902.11




Picture 46 – KF902.12




| Pos. | Name                                              | Weight, kg | Q-ty |
|------|---------------------------------------------------|------------|------|
| 1    | Rack 2.6m assembly                                | 21         | 10   |
| 2    | Rack 3.0m assembly                                | 24         | 4    |
| 3    | Horizontal bar 1.12m                              | 4          | 1    |
| 4    | Horizontal bar with balls assembly                | 14         | 1    |
| 5    | Horizontal bar 2.4m for functional loops assembly | 27         | 1    |
| 6    | Horizontal bar ladder assembly                    | 29         | 1    |
| 7    | Horizontal bar                                    | 13         | 1    |
| 8    | Horizontal bar with thick crossbar                | 5          | 1    |
| 9    | Monkey bar 2.4m                                   | 27         | 1    |
| 10   | Monkey bar with balls                             | 29         | 1    |
| 11   | Monkey bar attachment assembly                    | 18         | 1    |
| 12   | Monkey bar sloping                                | 63         | 2    |
| 13   | Monkey bar with commercial                        | 121        | 1    |
| 14   | Combo rack attachment                             | 29         | 2    |
| 15   | Hyperextension attachment                         | 28         | 2    |
| 16   | Incline bench for abdominals attachment           | 30         | 2    |
| 17   | Bolt M12*120 GOST 7798                            |            | 24   |
| 18   | Bolt M12*110 GOST 7798                            |            | 36   |
| 19   | Nut M12 DIN985                                    |            | 60   |
| 20   | Washer 12 GOST11371                               |            | 120  |

**Picture 47 – Completeness KF902.12**




Picture 48 – KF902.13




| Pos. | Name                                              | Weight, kg | Q-ty |
|------|---------------------------------------------------|------------|------|
| 1    | Rack 2.6m assembly                                | 21         | 21   |
| 2    | Rack 3.0m assembly                                | 24         | 4    |
| 3    | Horizontal bar 1.12m                              | 4          | 12   |
| 4    | Horizontal bar with balls assembly                | 14         | 1    |
| 5    | Horizontal bar with thick crossbar                | 11         | 1    |
| 6    | Horizontal bar 2.4m for functional loops assembly | 27         | 1    |
| 7    | Horizontal bar ladder assembly                    | 29         | 1    |
| 8    | Horizontal bar                                    | 13         | 1    |
| 9    | Monkey bar straight 2.4m                          | 63         | 3    |
| 10   | Monkey bar 2.4m                                   | 27         | 1    |
| 11   | Monkey bar with balls                             | 29         | 1    |
| 12   | Monkey bar attachment assembly                    | 18         | 1    |
| 13   | Monkey bar sloping                                | 63         | 2    |
| 14   | Monkey bar with commercial                        | 121        | 1    |
| 15   | Parallel bar attachment                           | 36         | 1    |
| 16   | Incline bench for abdominals attachment           | 30         | 1    |
| 17   | Hyperextension attachment                         | 28         | 1    |
| 18   | Portable rack assembly                            | 15         | 2    |
| 19   | Swedish ladder triple section                     | 14         | 2    |
| 20   | Swedish ladder section                            | 22         | 1    |
| 21   | Bolt M12*70 GOST 7798                             |            | 12   |
| 22   | Bolt M12*110 GOST 7798                            |            | 74   |
| 23   | Bolt M12*120 GOST 7798                            |            | 37   |
| 24   | Nut M12 DIN985                                    |            | 123  |
| 25   | Washer 12 GOST11371                               |            | 246  |


Picture 49 – Completeness KF902.13



Picture 50 – Completeness KF902.14




Picture 51 – KF902.16




| Pos. | Name                                              | Weight, kg | Q-ty |
|------|---------------------------------------------------|------------|------|
| 1    | Rack 2.6m assembly                                | 21         | 21   |
| 2    | Rack 3.0m assembly                                | 24         | 4    |
| 3    | Horizontal bar 1.12m                              | 4          | 15   |
| 4    | Horizontal bar with balls assembly                | 14         | 1    |
| 5    | Horizontal bar with thick crossbars               | 11         | 1    |
| 6    | Horizontal bar 2.4m for functional loops assembly | 27         | 1    |
| 7    | Horizontal bar ladder assembly                    | 29         | 1    |
| 8    | Monkey bar straight 2.4m                          | 63         | 1    |
| 9    | Monkey bar 2.4m                                   | 27         | 1    |
| 10   | Monkey bar with balls                             | 29         | 1    |
| 11   | Monkey bar attachment assembly                    | 18         | 1    |
| 12   | Monkey bar sloping                                | 63         | 2    |
| 13   | Monkey bar with commercial                        | 121        | 1    |
| 14   | Parallel bar attachment                           | 36         | 1    |
| 15   | Incline bench for abdominals attachment           | 30         | 1    |
| 16   | Hyperextension attachment                         | 28         | 1    |
| 17   | Australian horizontal bar attachment              | 47         | 1    |
| 18   | Push-up supports attachment                       | 20         | 1    |
| 19   | Portable rack assembly                            | 15         | 3    |
| 20   | Swedish ladder triple section                     | 14         | 4    |
| 21   | Swedish ladder section                            | 22         | 2    |
| 22   | Bolt M12*70 GOST 7798                             |            | 12   |
| 23   | Bolt M12*80 GOST 7798                             |            | 6    |
| 24   | Bolt M12*110 GOST 7798                            |            | 90   |
| 25   | Bolt M12*120 GOST 7798                            |            | 34   |
| 26   | Nut M12 DIN985                                    |            | 142  |
| 27   | Washer 12 GOST11371                               |            | 284  |

Picture 52 – Completeness KF902.16




Picture 53 – KF902.17




| Pos. | Name                                    | Weight, kg | Q-ty |
|------|-----------------------------------------|------------|------|
| 1    | Rack 2.6m                               | 21         | 32   |
| 2    | Rack 3.0m                               | 24         | 6    |
| 3    | Rack 4.0m                               | 31         | 4    |
| 4    | Horizontal bar 1.12m                    | 4          | 20   |
| 5    | Horizontal bar with balls               | 14         | 2    |
| 6    | Horizontal bar F32/F48 mm               | 11         | 4    |
| 7    | Horizontal bar with stones              | 15         | 2    |
| 8    | Horizontal bar – ladder                 | 29         | 4    |
| 9    | Monkey bar straight 2.4 m               | 63         | 4    |
| 10   | Monkey bar 2.4 m                        | 27         | 2    |
| 11   | Monkey bar with balls                   | 29         | 2    |
| 12   | Monkey bar sloping 2.4 m                | 63         | 2    |
| 13   | Monkey bar with commercial              | 121        | 1    |
| 14   | Combo rack attachment                   | 44         | 2    |
| 15   | Incline bench for abdominals attachment | 30         | 2    |
| 16   | Hyperextension attachment               | 28         | 2    |
| 17   | Push-up supports attachment             | 20         | 2    |
| 18   | Press bench attachment                  | 56         | 2    |
| 19   | Crossbar with a rope                    | 35         | 2    |
| 20   | Cap 19 f.                               |            | 170  |
| 21   | Cap 19 S                                |            | 170  |
| 22   | Bolt M12*110 DIN 933 (full thread)      |            | 90   |
| 23   | Bolt M12*120 DIN 933 (full thread)      |            | 80   |
| 24   | Nut M12 DIN 985 (lock nut)              |            | 170  |
| 25   | Washer 12 DIN 125 (flat)                |            | 340  |

**Picture 54 – Completeness KF902.17**




Picture 55 – KF902.18




| Pos. | Name                               | Weight, kg | Q-ty |
|------|------------------------------------|------------|------|
| 1    | Rack 2.6 m                         | 21         | 10   |
| 2    | Rack 3.0 m                         | 24         | 4    |
| 3    | Horizontal bar 1.12m               | 4          | 8    |
| 4    | Horizontal bar-ladder              | 29         | 2    |
| 5    | Monkey bar straight 2.4 m          | 63         | 1    |
| 6    | Monkey bar 2.4 m                   | 27         | 1    |
| 7    | Monkey bar sloping 2.4 m           | 63         | 2    |
| 8    | Parallel bar attachment            | 36         | 1    |
| 9    | Push-up supports attachment        | 20         | 1    |
| 10   | Console for the punching bag 0.8 m | 8          | 1    |
| 11   | Cap 19 F                           |            | 50   |
| 12   | Cap 19 S                           |            | 50   |
| 13   | Bolt M12*110 DIN 933 (full thread) |            | 25   |
| 14   | Bolt M12*120 DIN 933 (full thread) |            | 25   |
| 15   | Nut M12 DIN 985 (lock nut)         |            | 50   |
| 16   | Washer 12 DIN 125 (flat)           |            | 100  |

**Picture 56 – Completeness KF902.18**




**Picture 57 –KF902.19**




| Pos. | Name                                    | Weight, kg | Q-ty |
|------|-----------------------------------------|------------|------|
| 1    | Rack 2.6m                               | 20         | 25   |
| 2    | Rack 3.0m                               | 24         | 8    |
| 3    | Rack 4.0m                               | 31         | 4    |
| 4    | Horizontal bar 1.12m                    | 4          | 9    |
| 5    | Horizontal bar with balls               | 14         | 1    |
| 6    | Horizontal bar with stones              | 15         | 2    |
| 7    | Horizontal bar – ladder                 | 29         | 1    |
| 8    | Horizontal bar with stone               | 13         | 1    |
| 9    | Monkey bar straight 2.4 m               | 63         | 5    |
| 10   | Monkey bar 2.4 m                        | 27         | 4    |
| 11   | Monkey bar with balls                   | 29         | 2    |
| 12   | Monkey bar attachment assembly          | 18         | 1    |
| 13   | Monkey bar sloping 2.4 m                | 63         | 4    |
| 14   | Combo rack attachment                   | 45         | 2    |
| 15   | Incline bench for abdominals attachment | 30         | 4    |
| 16   | Hyperextension attachment               | 28         | 2    |
| 17   | Horizontal bar rings                    | 36         | 2    |
| 18   | Portable rack assembly                  | 15         | 6    |
| 19   | Swedish ladder triple section           | 14         | 8    |
| 20   | Swedish ladder section                  | 22         | 4    |
| 21   | Bolt M12*70 DIN 933 (full thread)       |            | 24   |
| 22   | Bolt M12*80 DIN 933 (full thread)       |            | 12   |
| 23   | Bolt M12*110 DIN 933 (full thread)      |            | 88   |
| 24   | Bolt M12*120 DIN 933 (full thread)      |            | 60   |
| 25   | Nut M12 DIN 985 (lock nut)              |            | 184  |
| 26   | Washer 12 DIN 125 (flat)                |            | 368  |


**Picture 58 – Completeness KF902.19**




**Picture 59 – Completeness KF902.21**






Picture 60 – Completeness KF902.24



Picture 61 – Completeness KF902.25





Picture 62 – Completeness KF902.26




| Pos. | Name                                    | Weight, kg | Q-ty |
|------|-----------------------------------------|------------|------|
| 1    | Rack 2.6 m assembly                     | 21         | 4    |
| 2    | Horizontal bar 1.12m                    | 4          | 1    |
| 3    | Horizontal bar                          | 13         | 1    |
| 4    | Horizontal bar with thick crossbar      | 5          | 1    |
| 5    | Incline bench for abdominals attachment | 30         | 1    |
| 6    | Portable rack assembly                  | 15         | 2    |
| 7    | Swedish ladder triple section           | 14         | 2    |
| 8    | Swedish ladder section assembly         | 22         | 1    |
| 9    | Bolt M12*70 GOST 7798                   |            | 12   |
| 10   | Bolt M12*110 GOST 7798                  |            | 16   |
| 11   | Bolt M12*120 GOST 7798                  |            | 2    |
| 12   | Nut M12 DIN985                          |            | 30   |
| 13   | Washer 12 GOST11371                     |            | 60   |

Picture 63 – Completeness KF902.31




| Pos. | Name                               | Weight, kg | Q-ty |
|------|------------------------------------|------------|------|
| 1    | Rack 1.5m assembly                 | 13         | 4    |
| 2    | Parallel bars                      | 12         | 2    |
| 3    | Plug DN40 R                        |            | 4    |
| 4    | Bolt M12*110 DIN 933 (full thread) |            | 8    |
| 5    | Nut M12 DIN 985 (lock nut)         |            | 8    |
| 6    | Washer 12 DIN 125 (flat)           |            | 16   |

Picture 64 – Completeness KF902.34




**Picture 65 – Completeness KF902.36**



Picture 66 – Completeness KF902.51





Picture 68 – Completeness KF902.53

