

interatletika™

PRODUCTION AND SALE OF CHILDREN'S
AND OUTDOOR EQUIPMENT

Customer support:


☎ +38 095 273 81 53

play.interatletika.com

✉ export.team@interatletika.com

DATA SHEET

UT413 – Volleyball-Tennis posts with tension



CONTENT

| | | |
|---|--|---|
| 1 | GENERAL INFORMATION | 3 |
| 2 | TECHNICAL DATA AND COMPLETE SET | 3 |
| 3 | INSTRUCTION FOR SAFE USE | 4 |
| 4 | TECHNICAL MAINTENANCE | 5 |
| 5 | INFORMATION ON STORAGE, TRANSPORT AND DISPOSAL | 5 |

FOR NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1. GENERAL INFORMATION

The purpose and content of this document. This document is a data sheet for sport and playing product for children's use (code of the document GOST 2.601-95) and contains a general description of the product and its maintenance, also information on safe use, technical maintenance, transport and disposal.

The level of proficiency of the user. To use the product each of the adult user should:

- Become acquainted with this document in details;
- Rigidly adhere to the requirements of this document.

Children should use the product under adult control.

This product has the same "unsafe" level as the others. This is the reason the Manufacturer (Deliverer) bears no responsibility by injuries.

Reproduction of this document and product modification. The manufacturer can make changes to the product design to improve its performance, change the design, etc. This document may not contain a description of such changes, but applies to the following modified products.


2. TECHNICAL DATA AND COMPLETE SET

The purpose of the product. The name of the product is presented at a title page of this document. The product is intended for leisure activities outdoors.

The characteristics of the product.

| | | |
|---------------------------------|---|-----------------|
| Length | : | 243 mm |
| Width | : | 180 mm |
| Height | : | 2995 mm |
| Weight (set) | : | 50 kg |
| Working environment | : | outdoors |
| The country of the manufacturer | : | Ukraine |

Product structure. General view of the product and its main parts are shown at picture 1.



Picture 1 – Product general view

The names of the main parts of the product:

| Nº | Name | Quantity |
|----|----------------------|----------|
| 1 | Rack | 2 |
| 2 | Cap | 2 |
| 3 | Rack with tension | 1 |
| 4 | Support rack | 1 |
| 5 | Cord for net tension | 2 |

Technical data and complete set. Volleyball-tennis posts with tension are presented as a set of two vertical posts with a bearing element to fix a net in a vertical position. The posts are intended for leisure activity.

Instrument and tools. No instrument needed for assembling and installation of the product is a part of a set.

Packaging. The product is transported in polyethylene packaging. Additionally, it can be packed in carton packing.

3. INSTRUCTION FOR SAFE USE

Working limits. The product should be used as per its direct purpose.


Product preparation for usage. The product should be installed taking into account all the requirements in accordance with this document and other documents needed for installation (in case such documents are the part of a set). The general view of the product is presented at picture 1.

Assembly and installation order. The product is transported assembled. Installation scheme is presented at picture 2.

Instructions:

- 1) Dig two holes in the ground to install embedded elements at the distance of 12 meters (depends on the width of playground) on a middle line of playground and symmetrical referring to side lines (the sizes of the holes are presented at picture 2).
- 2) Put embedded elements in the holes (without the racks).
- 3) Flatten the holes adding rubble into it or making the holes deeper in accordance with picture 2.
- 4) Put embedded elements in vertical position and fill the hole with concrete B15 of small fraction with lever (in accordance with 2).
- 5) The foundation can be used in two weeks (after the concrete is fully fixed) according to its direct purpose. Racks are installed in foundations and the net is strained between them (use a cord to avoid net whipping).
- 6) Cover the holes for foundation with caps in case the racks are demounted for some time to avoid collecting rubbish in the holes.

WARNING! QUANTITY, BRAND AND THE TERMS OF CONCRETE FIXING NORMS VIOLATION LEADS TO WRONG PRODUCT INSTALLATION AND ITS OPERATING AS A RESULT OF IT. RESPONSIBILITY FOR KEEPING TO INSTALLATION NORMS OF THE PRODUCT IS LAID ON THE CUSTOMER.



Picture 2 – Product overall dimensions and installation scheme

4. TECHNICAL MAINTENANCE

Technical maintenance presumes, first of all, the responsibility of the user to stick to all recommendations, that are mentioned in this document, beginning with every-day observation of the product and its technical order.

Before operating the product, conduct a visual inspection, check the fasteners and structural strength – in case of any damages, full or partial down state the product is forbidden to be used.

5. INFORMATION ON STORAGE, TRANSPORT AND DISPOSAL

Product storage and disposal orders. *WARNING!* The product is aimed to regular using according to its purpose (taking into account all the limits, that are mentioned in this document) after its installation. It is not recommended to leave the product without using (more than 30 calendar days). External (physical) factors can lead to losing the shop-front of the product (or its parts), wrong working on the product or its parts during a long-time down time, and as a result it might lead to breakage of the product.

If long-term storage of the product is required, the following storage rules must be observed (the list of conditions is not complete):

- place the product in a closed dry room with natural ventilation;
- protect the product from external factors (dust, water drops, etc.) with a large plastic bag, leaving space for free air circulation;

- take other measures to preserve the appearance and characteristics of the product during storage.

When removing the product from storage and preparing for installation, follow the next recommendations:

- remove the product from the packaging material (polyethylene, cardboard, other packaging materials);
- remove dust and other contaminants from the surface of the product;
- check completeness and absence of parts damage.

The product is transported unassembled in carton packing. Transporting should be accomplished by the way of protecting the product from external factors (rain, snow, sun-rays, water, moisture, etc.)

After the term of product use is over the Customer determine its further usage by themselves.